

Construction of Pbs.PGK.PCR1




FIG. 1

Construction of pIG.E1a.E1b.X




FIG. 2




FIG. 3A

Construction of pIG.E1a.NEO





FIG. 3B

FIG. 4



Construction of pIG.NEO





FIG. 5

Overview of available adenovirus packaging constructs and assessment of their capacity to transform primary kidney cells



*average of 5 plates 21 days after transection

FIG. 6

Western blotting analysis of A549 clones transfected with pIG.E1A.NEO and PER clones (HER cells transfected with pIG.E1A.E1B)




FIG. 7

Southern blot analyses of 293, 911 and PER cell lines




FIG. 8

Transfection efficiency of PER.C3, PER.C5, PER.C6 and 911 cells. Cells were cultured in 6-well plates and transfected (n=2) with 5 μ g pRSV.lacZ by calcium-phosphate co-precipitation. Forty-eight hours later the cells were stained with X-GAL. The mean percentage of blue cells is shown.




FIG. 9

Construction of pMLP1.TK




FIG. 10

New recombinant adenoviruses and packaging constructs without sequence overlap





FIG. 1IA

Packaging system based on primary cells

New recombinant adenoviruses and packaging constructs without sequence overlap



Packaging system based on established cell lines: transfection with E1a and selection with G418 **FIG. 1 B**

10074668 . 070002

Generation of recombinant adenovirus




FIG. 12




FIG. 13

Replication of Adenovirus




FIG. 14

The potential hairpin conformation of a single-stranded DNA molecule that contains the HP/asp sequences used in these studies. Restriction with the restriction endonucleases *Asp718I* of plasmid pICLHa, containing the annealed oligonucleotide pair HP/asp1 en HP/asp2 will yield a linear double-stranded DNA fragment. In cells in which the required adenovirus genes are present, replication can initiate at the terminus that contains the ITR sequence. During the chain elongation, the one of the strands will be displaced. The terminus of the single-stranded displaced-strand molecule can adopt the conformation depicted above. In this conformation the free 3'-terminus can serve as a primer for the cellular and/or adenovirus DNA polymerase, resulting in conversion of the displaced strand in a double-stranded form.

```
5'-GTACACTGACCTAGTGCCGCCCGGGCA
      ||||| A
3'-GATCACGGCGGGCCCGA
```

FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19

Cloned adenovirous fragments




FIG. 20

Adapter plasmid pAd5/L420-HSA




FIG. 21

Adapter plasmid pAd5/CLIP




FIG. 22

Generation of recombinant adenoviruses




FIG. 23

Minimal adenovirus vector pMV/L420H




FIG. 24

Construction of pWE/AdΔ5'





FIG. 25




FIG. 26A




FIG. 26B





FIG. 26C



Average percentage CPE efficiency: 86 %

FIG. 27


Gene Insert kb

• ceNOS	3.6
• hTERT	3.5
• hTERT D712A	3.5
• lacZ	3.2
• hCAT1	2.2
• GLVR2	2.0
• Luc	1.7
• SOD3	1.4
• MAX1	.550
• hVEGF121	.511
• hIL3	.434
• UBC9	.412
• ANG1-7	.104

Average titer
 $0.8 \pm 0.7 \times 10^9$ pfu/ml

FIG. 28

% wells producing functional virus



Gene	Number of CPE+ wells
ceNOS	19/19
IL3	7/7
lacZ	36/36
Luc	40/40
GFP	48/48

Gene	Number of plaques
ceNOS	9/9
IL3	9/9
lacZ	40/40
Luc	9/9
EGFP	IP
GLVR2	9/9

FIG. 29




FIG. 30




FIG. 3IA




FIG. 3IB




FIG. 3IC







FIG. 32



AS-virus

FIG. 33




FIG. 34A




FIG. 34B




FIG. 34C




FIG. 34D




FIG. 34E




FIG. 34F




FIG. 34G




FIG. 34H




FIG. 34 I




FIG. 34J




FIG. 34K





FIG. 34L

**FIG. 34M**

Relative amounts of wells with CPE after transfection of
PER.C6/E2A cells with pCLIP-LacZ and the adapter plasmid pIPspAdapt2.



FIG. 34N

Construction total Adeno cDNA Library (1)




FIG. 36A

Construction total Adeno cDNA Library (II)




FIG. 36B

EXAMPLE 21 384 WELL PLATE IN PROGRESS




FIG. 37A




FIG. 37B




FIG. 37C




FIG. 37D




FIG. 38A




FIG. 38B




FIG. 38C

Cell titration experiment #1




FIG. 39A

Cell titration experiment #2




FIG. 39B

Cell titration experiment #3




FIG. 39C




FIG. 40




FIG. 4I




FIG. 42




FIG. 43




FIG. 44

Figure 45




Figure 46

Transduction of hCAR⁻ cells with Ad5




Figure 47

Infection of human primary pre-adipocytes using Ad5C01 and Ad5C20 fiber-modified viruses

Ad5C01-eGFP



MOI:

50,000



MOI:

10,000



MOI:

2,000

Ad5C20-eGFP




Ad5C01-Empty

+

Ad5C20-hCAR

A



B




Ad5C01-PPAR γ

+

Ad5C20-hCAR

C



D





Figure 48

Adipocyte differentiation


Primary human mesenchymal stem cells

Figure 49




Adipocyte differentiation
Mouse mesenchymal stem cell line
C3H10T1/2

Figure 50



H5-24: adenovirally mediated expression
of CIDEB does not induce any cell death

Figure 51



Nile Red:
Lipid droplets

Hoechst 33342:
nuclei

FIGURE 52

H5-1 DNA sequence (SEQ ID NO:12)

```
1  GCCCACGCGT CCGGTTTTCT ACTTTGCCAC AGATTATCTT GTACAGCCTT TTATGGACCA
61  ATTAGCATTC CATCAATTTT ATATCTAGCA TATTTGCGGT TAGAATCCCA TGGATGTTTC
121 TTCTTTGACT ATAACAAAAT CTGGGGAGGA CAAAGGTGAT TTTCCTGTGT CCACATCTAA
181 CAAAGTCAAG ATTCCCGGCT GGACTTTTGC AGCTTCCTTC CAAGTCTTCC TGACCACCTT
241 GCACTATTGG ACTTTGGAAG GAGGTGCCTA TAGAAAACGA TTTTGAACAT ACTTCATCGC
301 AGTGGACTGT GTCCCTCGGT GCAGAAACTA CCAGATTTGA GGGACGAGGT CAAGGAGATA
361 TGATAGGCCC GGAAGTTGCT GTGCCCCATC AGCAGCTTGA CGCGTGGTCA CAGGACGATT
421 TCACTGACAC TGCGAACCTC CAGGACTACC GTTACCAAGA GGTTAGGTGA AGTGGTTTAA
481 ACCAAACGGA ACTCTTCATC TTAAACTACA CGTTGAAAAT CAACCCAATA ATTCTGTATT
541 AACTGAATTC TGAACCTTTC AGGAGGTACT GTGAGGAAGA GCAGGCACCA GCAGCAGAAT
601 GGGGAATGGA GAGGTGGGCA GGGGTTCAG CTTCCCTTTG ATTTTTTGCT GCAGACTCAT
661 CCTTTTTTAA TGAGACTTGT TTTCCCCTCT CTTTGAGTCA AGTCAAATAT GTAGATTGCC
721 TTTGGCAATT CTTCTTCTCA AGCACTGACA CTCATTACCG TCTGTGATTG CCATTTCCTC
781 CCAAGGCCAG TCTGAACCTG AGGTTGCTTT ATCCTAAAAG TTTTAACCTC AGGTTCCAAA
841 TTCAGTAAAT TTTGGAAACA GTACAGCTAT TTCTCATCAA TTCTCTATCA TGTGAAGTC
901 AAATTTGGAT TTTCCACCAA ATTCTGAATT TGTAGACATA CTTGTACGCT CACTTGCCCC
961 AGATGCCTCC TCTGTCCTCA TTCTTCTCTC CCACACAAGC AGTCTTTTTT TACAGCCAGT
1021 AAGGCAGCTC TGTCGTGGTA GCAGATGGTC CCATTATTCT AGGGTCTTAC TCTTTGTATG
1081 ATGAAAAGAA TGTGTTATGA ATCGGTGCTG TCAGCCCTGC TGTCAGACCT TCTTCCACAG
1141 CAAATGAGAT GTATGCCCAA AGACGGTAGA ATTAAAGAAG AGTAAAATGG CTGTTGAAGC
1201 AAAAAAAAAA AAAAA
```

FIGURE 53

H5-24 DNA sequence (SEQ ID NO:14)

```

1  GTCGACCCAC GCGTCCGCGC CTGCAGAAGG TTGACTGCGT GGTAGGGGGC CCAGAGCAAG
61  CCGAAGGCAA GCACGATGGC GCTCACCAGC CGGCCACCC GCGCCCCGTG CCGCCCGGAG
121  CCCCAGCGGG CGCCCCGAG CCGTGCCAGC GTCACGCTGT AGCAGCCGAG CATCAGCCCCG
181  AAAGGAAGCA CGAAAGCGGT GGCGGTAGAC GGCGGCCGGG ACGGCGAGCA ACAGGGCGGC
241  CAGCCAGACC GCCAGCAGCA GGCGGCCGGG CAGGGCCGGG CTGCGCAGCC GAGGCGCCAG
301  GAAGGGGCGG GTGACTGCGA GGCAGCGCTG CAGGCTGAGC AGGCCGGTGA GCAGCACGCT
361  GGCCTACATG CTGAGCGCGC ACACGTAGTA CACCGCCTTG CAGCCCGCCT GGCCAGCGG
421  CCAGGCCCTGC CGGGTCAGGA AGGCCACAAA GAGCGGCGTG AGCAGCAGCA CCGCGCCGTG
481  GGCCAGCGCC AGGTGCAGCA CAAGCGTGGC CGCCAGCGGT CGCCCCGTG CAGGCCGCCA
541  GCCCGCCAAG CTCCACACCA CGAAGCCGTT GCCAGGCAGC CCCAGCAGCG CCGCCAGCAG
601  CAGGAAGGCT GTGCCTGTGG CCCGCGAAGT CTTCCAGTCT AGCAGTGTCT CGTTCCCTGG
661  GGGACGGTAG CAGACCGACA TCCTTCTGGG CCTACAGGAC ACAGAAAAAA AGTGGGGAAG
721  CTGGGGGACC CCTACAAGGA TCCTTGCGAG GAAAGCAGGG ATTGTGTTCA TTTGAGGGTT
781  TCACTGTCTG TGAGAGTCTC AGCTTCCATG CAACTGTCCA TCACGGCTGC AACTGAAATC
841  AGAGCTGGGA CACAGCGCAC CAGAAGCTAA AGTCTTGATG CCATCAAAGG ACATCCCTGC
901  CCCATTCACT TCTCTGTCTG GTCCACTAAT CGGCAAAAGG AGAAAAGTGA GAGAAGATGA
961  CCTAAGTGTG ACTGCAGCAG GCAGCTCTGG AAAATGAAGC CAGAGCAGTG AGCCAGCCCC
1021 TCCTCCGACC AAGGAGGAAG GAAAGAGCAG CCCCAGCACA GGAGAGAAC ACCCAGCCCA
1081 GAAGTTCCAG GGAAGGAAGT CTCCGGTCCA CCATGGAGTA CCTCTCAGCT CTGAACCCCA
1141 GTGACTTACT CAGGTCAGTA TCTAATATAA GCTCGGAGTT TGGACGGAGG GTCTGGACCT
1201 CAGCTCCACC ACCCCAGCGA CCTTCCGTG TCTGTGATCA CAAGCGGACC ATCCGGAAAG
1261 GCCTGACAGC TGCCACCCGC CAGGAGCTGC TAGCCAAAGC ATTGGAGACC CTACTGCTGA
1321 ATGGAGTGCT AACCCTGGTG CTAGAGGAGG ATGGAAGTGC AGTGGACAGT GAGGACTTCT
1381 TCCAGTGCTG GGAGGATGAC ACGTGCCTGA TGGTGTGCA GTCTGGTCAG AGCTGGAGCC
1441 CTACAAGGAG TGGAGTGCTG TCATATGGCC TGGGACGGGA GAGGCCAAG CACAGCAAGG
1501 ACATCGCCCG ATTCACCTTT GACGTGTACA AGCAAAACCC TCGAGACCTC TTTGGCAGCC
1561 TGAATGTCAA AGCCACATTC TACGGGCTCT ACTCTATGAG TTGTGACTTT CAAGGACTTG
1621 GCCCAAAGAA AGTACTCAGG GAGCTCCTTC GTTGGACCTC CACTGTCTG CAAGGCCTGG
1681 GCCATATGTT GCTGGGAATT TCCTCCACCC TTCGTCATGC AGTGGAGGGG GCTGAGCAGT
1741 GGCAGCAGAA GGGCCGCCTC CATTCCTACT AAGGGGCTCT GAGCTTCTGC CCCAGAATC
1801 ATTCCAACCG ACCCACTGCA AAGACTATGA CAGCATCAA TTTCAGGACC TGCAGACAGT
1861 ACAGGCTAGA TAACCCACCC AATTTCCTCA CTGTCCTCTG ATCCCTCGT GACAGAACCT
1921 TTCAGCATAA CGCTCACAT CCCAAGTCTA TACCCTTACC TGAAGAATGC TGTCTTTCC
1981 TAGCCACCTT TTAGCCTCC CACTTGCCCT GAAAGGCCAA GATCAAGATG TCCCCAGGC
2041 ATCTTGATCC CAGCCTGACT GCTGCTACAT CTAATCCCCT ACCAATGCCT CCTGTCCCTA
2101 AACTCCCCAG CATACTGATG ACAGCCCTCT CTGACTTTAC CTTGAGATCT GTCTTCATAC
2161 CCTTCCCCTC AACTAACAA AACATTTCC AATAAAAAATA TCAAATATTT AAAAAAAAAA
2221 AAAAAAAGGG CGGCCGC

```

FIGURE 54

H5-24 ORF4 Amino Acid sequence (SEQ ID NO: 71)

MEYLSALNPSDLLRSVSNISSEFGRRVWTSAPPPQRPFRVCDHKRTIRKGLTAAT
RQELLAKALETLLNGVLTLVLEEDGTAVDSEDDFFQLLEDDTCLMVLQSGQSWS
PTRSGVLSYGLGRERPKHSDIARFTFDVYKQNPRDLFGSLNVKATFYGLYSMS
CDFQGLGPKKVLRELLRWTSTLLQGLGHMMLGISSTLRHAVEGAEQWQQKGRL
HSY

FIGURE 55

H5-24 Segment 1 of BLTR2 DNA sequence (SEQ ID NO: 15)

```
      18 CGC CTGCAGAAGG TTGACTGCGT GGTAGGGGGC CCAGAGCAAG
61  CCGAAGGCAA GCACGATGGC GCTCACCAGC CGGCCCACCC GCGCCCCGTG CCGCCCCGAG
121 CCCCAGCGGG CGCCCCGCAG CCGTGCCAGC GTCACGCTGT AGCAGCCGAG CATCAGCCCC
181 AAAGGAAGCA CGAAAGCGGT 200
```


FIGURE 56

H5-24 Segment 2 DNA sequence (SEQ ID NO: 16)

```
      198 GGT GCGGGTAGAC GCGGGCCGGG ACGGCGAGCA ACAGGGCGGC
241 CAGCCAGACC GCCAGCAGCA GCGGGCGGGC CAGGGCCGGG CTGCGCAGCC GAGGCGCCAG
301 GAAGGGGCGG GTGACTGCGA GGCAGCGCTG CAGGCTGAGC AGGCCGGTGA GCAGCACGCT
361 GCGGTACATG CTGAGCGCGC ACACGTAGTA CACCGCCTTG CAGCCCGCCT GGCCAGCGG
421 CCAGGCCTGC CGGGTCAGGA AGGCCACAAA GAGCGGCGTG AGCAGCAGCA CCGCGCCGTC
481 GGCCAGCGCC AGGTGCAGCA CAAGCGTGGC CGCCAGCGGT CGCCCCCGTG CAGGCCGCCA
541 GCCCGCCAAG CTCCACACCA CGAAGCCGTT GCCAGGCAGC CCCAGCAGCG CCGCCAGCAG
601 CAGGAAGGCT GTGCCTGTGG CCCGCGAAGT CTTCCAGCTC AGCAGTGTCT CGTTCCTTGG
661 GGGACGGTAG CAGACCGACA TCCTTCTGGG CCTACAGG 698
```

FIGURE 57

DNA Sequence Comparison of H5-24 Segment 1 (SEQ ID NO: 15) with BLTR2

Antisense DNA sequence

```

SEQ ID NO:15   18  cgctgcagaaggttgactgcgtggtagggggccagagcaagccgaaggcaagcacgat  77
                  |||
BLTR2          2455 cgctgcagaaggttgactgcgtggtagggggccagagcaagccgaaggcaagcacgat  2396

SEQ ID NO:15   78  ggcgctcaccagccggccaccgcgccccgtgccgcccggagccccagcggcgccccg  137
                  |||
BLTR2          2395 ggcgctcaccagccggccaccgcgccccgtgccgcccggagccccagcggcgccccg  2336

SEQ ID NO:15   138  cagccgtgccagcgtcacgctgtagcagccgagcatcagcccgaaggaagcacgaaagc  197
                  |||
BLTR2          2335 cagccgtgccagcgtcacgctgtagcagccgagcatcagcccgaaggaagcacgaaagc  2276

SEQ ID NO:15   198  ggt  200
                  |||
BLTR2          2275 ggt  2273

```

